

## Demographics

<b>FLAGLER BEHAVIORAL RISK FACTORS</b>	<b>Flagler 2007</b>	<b>Florida 2007</b>
Percent of adults who engage in heavy or binge drinking	18.4	16.2
Percent of adults who have asthma	4.5	6.2
Adult men with asthma	1.9	4.9
Adult women with asthma	6.8	7.4
Percent of women (18 years+) with a PAP* test in the past year	67.7	64.8
Percent of men (50 years+) with a PSA** test in the past 2 years	64.5	60.2
Percent of adults (50 years+) with colonoscopy in the past 5 years	56.9	53.7
Percent of adults who had their cholesterol checked in the past 5 years	84.4	78.5
Percent of adults who have diagnosed high blood cholesterol	43.1	37.1
Percent of adults with diabetes who self-monitor blood sugar once daily on average	63.7	65.7
Percent of adults with diabetes who had an annual eye exam	81.7	77.4
Percent of adults with diabetes who ever had diabetes self-management education	75.5	51.4
Percent of adults who always/usually receive the social/emotional support needed	81.1	77.9
Percent of adults (<65 years) who have ever been tested for HIV	49.4	49.1
Percent of adults with diagnosed hypertension (high blood pressure)	35.3	28.2
Percent of adults with hypertension who use blood pressure control measures	96.0	96.4
Percent of adults who are overweight or obese	61.8	62.1
Percent of adults who consume 5 servings of fruits/vegetables daily	24.8	26.2
Percent of adults who meet moderate physical activity recommendations	43.6	34.6
Percent of adults who are current smokers	23.9	19.3
Percent of adult current smokers who tried to quit in the past year	54.8	53.2
<b>VOLUSIA BEHAVIORAL RISK FACTORS</b>	<b>Volusia 2007</b>	<b>Florida 2007</b>
Percent of adults who engage in heavy or binge drinking	17.5	16.2
Percent of adults who have asthma	8.6	6.2
Adult men with asthma	5.3	4.9
Adult women with asthma	11.6	7.4
Percent of women (18 years+) with a PAP* test in the past year	53.6	64.8
Percent of men (50 years+) with a PSA** test in the past 2 years	71.1	60.2
Percent of adults (50 years+) with colonoscopy in the past 5 years	56.4	53.7
Percent of adults who had their cholesterol checked in the past 5 years	80.1	78.5
Percent of adults who have diagnosed high blood cholesterol	38.3	37.1
Percent of adults with diabetes who self-monitor blood sugar once daily on average	57.9	65.7
Percent of adults with diabetes who had an annual eye exam	75.6	77.4
Percent of adults with diabetes who ever had diabetes self-management education	56.8	51.4
Percent of adults who always/usually receive the social/emotional support needed	79.4	77.9
Percent of adults (<65 years) who have ever been tested for HIV	49.9	49.1
Percent of adults with diagnosed hypertension (high blood pressure)	30.1	28.2
Percent of adults with hypertension who use blood pressure control measures	96.8	96.4
Percent of adults who are overweight/obese	63.4	62.1
Percent of adults who consume 5 servings of fruits/vegetables daily	27.9	26.2
Percent of adults who meet moderate physical activity recommendations	38.1	34.6
Percent of adults who are current smokers	21.9	19.3
Percent of adult current smokers who tried to quit in the past year	50.9	53.2

Source: 2007 BRFSS Report – See glossary for details

\*PAP – cervical cancer test

\*\* PSA – prostate cancer test